

# On-line appendix to the paper “How good are projection methods for convex feasibility problems?”\*

Nicholas I. M. Gould †‡

December 18, 2006

## Appendix A

For reference, we give details of the performance of each of the four variants tested in [1] on the complete set of Netlib and CUTer linear programming test sets. The columns marked  $n$  and  $m$  give the numbers of variables and general linear constraints, status gives the exit status (0 for success,  $-10$  when the iteration limit is exceeded and  $-11$  when the CPU time limit is reached), and error gives the value of  $\max(\|P_A(x) - x\|_2, \|P_B(x) - x\|_2)$  achieved on termination. A  $-1$  in the columns recording the number of iterations required to achieve the indicated error simply indicates that this accuracy was not achieved.

Table A.1: Complete results for the variant A3.1( $\alpha = 1$ )

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
25FV47	1571	821	0	1.0E-05	173375	224428	275456	326473	377485	674.2
80BAU3B	9799	2262	0	1.0E-05	1595	2065	2534	3004	3474	17.2
ADLITTLE	97	56	0	9.7E-06	77	133	189	244	300	0.0
AFIRO	32	27	0	9.9E-06	132	197	261	326	390	0.0
AGG2	302	516	-10	4.1E+03	-1	-1	-1	-1	1000001	746.4
AGG3	302	516	-10	2.6E+03	-1	-1	-1	-1	1000001	773.2
AGG	163	488	-10	9.6E+00	-1	-1	-1	-1	1000001	431.4
BANDM	472	305	0	1.0E-05	194566	345486	496407	647327	798248	273.7
BCDOUT	5940	5414	-11	2.2E+01	-1	-1	-1	-1	70611	1800.0
BEACONFD	262	173	0	9.9E-06	48	56	64	72	79	0.0
BLEND	83	74	0	1.0E-05	20852	28255	35657	43060	50463	4.1
BNL1	1175	643	-10	1.6E+00	-1	-1	-1	-1	1000001	897.9
BNL2	3489	2324	-11	2.3E-01	-1	-1	-1	-1	432602	1800.0
BOEING1	384	351	-10	1.6E+03	-1	-1	-1	-1	1000001	493.2
BOEING2	143	166	-10	4.0E+01	-1	-1	-1	-1	1000001	180.5
BORE3D	315	233	-10	1.9E+02	-1	-1	-1	-1	1000001	224.9
BRANDY	249	220	0	1.0E-05	167449	208991	250533	292075	333617	87.0
CAPRI	353	271	-10	3.9E+01	-1	-1	-1	-1	1000001	309.0

\*This work was supported by the EPSRC grant GR/S42170.

†Computational Science and Engineering Department, Rutherford Appleton Laboratory, Chilton, Oxfordshire, OX11 0QX, England. Email: [n.i.m.gould@rl.ac.uk](mailto:n.i.m.gould@rl.ac.uk)

‡Also Oxford University Computing Laboratory, Wolfson Building, Parks Road, Oxford OX1 3QD, England. Email: [nick.gould@comlab.ox.ac.uk](mailto:nick.gould@comlab.ox.ac.uk)

Table A.1: Complete results for the variant A3.1( $\alpha = 1$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
CYCLE	2857	1903	-10	2.0E+03	-1	-1	-1	-1	1000001	3997.9
CZPROB	3523	929	-10	1.0E+01	-1	-1	-1	-1	1000001	1334.6
D2Q06C	5167	2171	-11	6.5E+03	-1	-1	-1	-1	257829	1800.0
D6CUBE	6184	415	0	9.9E-06	359	529	700	870	1041	112.0
DEGEN2	534	444	0	9.7E-06	138	200	262	323	385	0.3
DEGEN3	1818	1503	0	1.0E-05	3261	9205	15767	23024	30281	174.7
DEGENLPA	20	15	-10	3.1E-03	2	2	-1	-1	1000001	15.9
DEGENLPB	20	15	-10	3.1E-03	2	2	-1	-1	1000001	15.9
DFL001	12230	6071	0	1.0E-05	1301	2073	2843	3614	4385	193.6
E226	282	223	-10	5.0E-04	373552	645677	917711	-1	1000001	326.9
ETAMACRO	688	400	-10	8.3E+00	-1	-1	-1	-1	1000001	430.2
FFFFF800	854	524	-10	4.8E+02	-1	-1	-1	-1	1000001	876.2
FINNIS	614	497	0	1.0E-05	91072	165011	239126	313170	387207	183.0
FIT1D	1026	24	-10	1.3E+04	-1	-1	-1	-1	1000001	1057.4
FIT1P	1677	627	-10	1.8E+01	-1	-1	-1	-1	1000001	1986.0
FIT2D	10500	25	-11	2.2E+00	-1	-1	-1	-1	157135	1800.0
FIT2P	13525	3000	-11	8.7E+00	-1	-1	-1	-1	248297	1800.0
FORPLAN	421	161	-10	8.4E+01	-1	-1	-1	-1	1000001	405.7
GANGES	1681	1309	0	1.0E-05	1570	1953	6454	20280	33688	50.8
GFRD-PNC	1092	616	-10	7.1E+03	-1	-1	-1	-1	1000001	428.7
GOFFIN	51	50	0	0.0E+00	1	1	1	1	1	0.0
GREENBEA	5405	2392	-11	1.6E+01	-1	-1	-1	-1	342880	1800.0
GREENBEB	5405	2392	-11	2.1E+01	-1	-1	-1	-1	328029	1800.0
GROW15	645	300	0	0.0E+00	1	1	1	1	1	0.0
GROW22	946	440	0	0.0E+00	1	1	1	1	1	0.0
GROW7	301	140	0	0.0E+00	1	1	1	1	1	0.0
ISRAEL	142	174	-10	1.0E+05	-1	-1	-1	-1	1000001	315.6
KB2	41	43	0	1.0E-05	265378	362081	458781	555480	652180	33.0
LINSPANH	97	33	0	9.9E-06	110	181	327	466	605	0.0
LOTFI	308	153	0	1.0E-05	249095	312330	375564	438799	502033	82.5
MAKELA4	21	40	0	0.0E+00	1	1	1	1	1	0.0
MAROS-R7	9408	3136	0	9.2E-06	75	92	110	128	146	9.2
MAROS	1443	846	-10	1.8E+05	-1	-1	-1	-1	1000001	1597.8
MODSZK1	1620	687	0	9.8E-06	348	464	581	697	814	0.6
MPSBCD03	5940	5414	-11	6.5E+01	-1	-1	-1	-1	73671	1800.0
NESM	2923	662	-10	3.6E-05	309522	507157	708215	909416	1000001	1849.4
OET1	3	1002	0	1.0E-05	7	15	41	128	392	0.1
OET3	4	1002	0	1.0E-05	3	6	18	63	206	0.1
PEROLD	1376	625	-10	3.7E+04	-1	-1	-1	-1	1000001	1150.3
PILOT4	1000	410	-10	9.6E+02	-1	-1	-1	-1	1000001	731.5
PILOT87	4883	2030	-11	2.4E+01	-1	-1	-1	-1	97421	1800.0
PILOT-JA	1988	940	-11	4.5E+04	-1	-1	-1	-1	309142	1800.0
PILOTNOV	2172	975	-11	5.8E+03	-1	-1	-1	-1	463143	1800.0
PILOT	3652	1441	-11	1.7E+00	-1	-1	-1	-1	215132	1800.0
PILOT-WE	2789	722	-10	2.1E+04	-1	-1	-1	-1	1000001	1474.1
PT	2	501	0	9.9E-06	2	9	36	126	413	0.1
QAP12	8856	3192	0	2.2E-16	2	2	2	2	2	6.6
QAP15	22275	6330	0	2.2E-16	2	2	2	2	2	42.7
QAP8	1632	912	0	1.1E-16	2	2	2	2	2	0.2
QPBD_OUT	263	211	-10	5.3E-04	404741	665957	927172	-1	1000001	305.7
READING2	6003	4000	0	1.0E-05	9841	16072	22304	28535	34766	131.3
RECIPELP	180	91	0	1.0E-05	193232	308332	423422	538502	653574	59.0
S277-280	4	4	0	9.7E-06	4	27	71	114	158	0.0
SC105	103	105	0	9.9E-06	31	63	99	139	182	0.0
SC205	203	205	0	9.9E-06	31	104	204	312	419	0.1
SC50A	48	50	0	1.0E-05	29	47	68	100	135	0.0
SC50B	48	50	0	9.9E-06	66	100	137	193	254	0.0
SCAGR25	500	471	0	1.0E-05	24126	41945	59764	77583	95402	31.7
SCAGR7	140	129	0	1.0E-05	2654	3809	4964	6120	7275	0.7

Table A.1: Complete results for the variant A3.1( $\alpha = 1$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
SCFXM1	457	330	0	1.0E-05	134264	172493	210722	248952	287181	108.8
SCFXM2	914	660	-10	2.5E+00	-1	-1	-1	-1	1000001	800.2
SCFXM3	1371	990	-10	2.5E+00	-1	-1	-1	-1	1000001	1268.5
SCORPION	358	388	0	9.8E-06	26	93	188	285	383	0.1
SCRS8	1169	490	-10	4.9E+01	-1	-1	-1	-1	1000001	516.6
SCSD1	760	77	0	7.6E-06	5	8	11	15	18	0.0
SCSD6	1350	147	0	7.6E-06	5	8	11	15	18	0.0
SCSD8	2750	397	0	6.2E-06	8	11	14	17	21	0.1
SCTAP1	480	300	0	1.0E-05	11369	21901	32453	43008	53564	14.5
SCTAP2	1880	1090	0	1.0E-05	11833	19277	28120	37825	47484	58.6
SCTAP3	2480	1480	0	1.0E-05	13517	21398	30471	40448	50630	87.2
SEBA	1028	515	-10	1.4E+01	-1	-1	-1	-1	1000001	440.1
SHARE1B	225	117	-10	3.0E+03	-1	-1	-1	-1	1000001	152.7
SHARE2B	79	96	0	1.0E-05	70958	97385	123812	150240	176667	19.3
SHELL	1775	536	0	1.0E-05	2944	3867	4790	5713	6636	3.5
SHIP04L	2118	402	0	1.0E-05	22022	69012	116258	163545	210837	164.2
SHIP04S	1458	402	0	1.0E-05	22624	73064	124103	175142	226182	133.3
SHIP08L	4283	778	0	1.0E-05	4705	17631	30591	43550	56510	100.6
SHIP08S	2387	778	0	1.0E-05	5010	18498	32076	45655	59235	61.4
SHIP12L	5427	1151	0	1.0E-05	11974	121450	247445	373445	499446	1217.0
SHIP12S	2763	1151	0	1.0E-05	12314	122003	248287	374573	500859	677.9
SIERRA	2036	1227	0	9.9E-06	352	477	601	725	850	1.1
SIPOW1M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW1	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW3	4	2000	0	1.0E-05	13	141	932	1969	3016	2.4
SIPOW4	4	2000	0	1.0E-05	6	78	493	1107	1739	1.5
SSEBLIN	194	72	0	1.0E-05	883	1168	1452	1737	2021	0.1
STAIR	467	356	0	1.0E-05	2632	3722	4811	5900	6989	4.0
STANDATA	1075	359	-10	1.7E+00	-1	-1	-1	-1	1000001	432.1
STANDGUB	1184	361	-10	1.7E+00	-1	-1	-1	-1	1000001	455.1
STANDMPS	1075	467	-10	6.0E-04	617553	789533	961512	-1	1000001	518.8
STOCFOR1	111	117	0	9.9E-06	269	328	386	444	502	0.1
STOCFOR2	2031	2157	0	1.0E-05	55584	82085	108585	135084	161584	344.6
STOCFOR3	15695	16675	-11	3.5E-01	-1	-1	-1	-1	81177	1800.0
TESTDECK	14	15	0	8.8E-06	6	11	16	21	26	0.0
TFI2	3	101	0	1.0E-05	3	24	70	118	231	0.0
TRUSS	8806	1000	0	5.6E-06	12	16	19	22	26	0.3
TUFF	587	333	-10	6.1E+03	-1	-1	-1	-1	1000001	516.1
VTP-BASE	203	198	-10	1.2E+03	-1	-1	-1	-1	1000001	164.9
WOOD1P	2594	244	-11	2.5E-02	215461	-1	-1	-1	259417	1800.0
WOODW	8405	1098	-11	1.2E-04	88560	115112	141664	-1	166484	1800.0

Table A.2: Complete results for the variant A3.1( $\alpha = \text{opt}$ )

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
25FV47	1571	821	0	1.0E-05	83209	128140	178742	229332	279917	502.8
80BAU3B	9799	2262	0	9.9E-06	788	1020	1251	1481	1677	9.8
ADLITTLE	97	56	0	8.4E-06	35	53	77	95	127	0.0
AFIRO	32	27	0	9.7E-06	56	83	110	137	164	0.0
AGG2	302	516	-10	1.6E+02	-1	-1	-1	-1	1000001	800.3
AGG3	302	516	-10	9.8E-01	-1	-1	-1	-1	1000001	804.2
AGG	163	488	-10	1.8E+01	-1	-1	-1	-1	1000001	480.1
BANDM	472	305	0	1.0E-05	69745	161407	312327	463248	614168	220.0
BCDOUT	5940	5414	-11	2.2E+01	-1	-1	-1	-1	73763	1800.0
BEACONFD	262	173	0	8.1E-06	24	28	32	35	37	0.0
BLEND	83	74	0	1.0E-05	3971	5233	8271	15676	23079	2.0

Table A.2: Complete results for the variant A3.1( $\alpha = \text{opt}$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
BNL1	1175	643	-10	9.8E-01	-1	-1	-1	-1	1000001	967.7
BNL2	3489	2324	-11	9.3E-02	367516	-1	-1	-1	449957	1800.0
BOEING1	384	351	-10	1.2E+03	-1	-1	-1	-1	1000001	543.8
BOEING2	143	166	-10	4.0E+01	-1	-1	-1	-1	1000001	189.5
BORE3D	315	233	-10	8.6E+01	-1	-1	-1	-1	1000001	239.0
BRANDY	249	220	0	1.0E-05	77228	105500	147042	188584	230126	61.1
CAPRI	353	271	-10	1.2E+00	-1	-1	-1	-1	1000001	331.3
CYCLE	2857	1903	-11	2.1E+03	-1	-1	-1	-1	430052	1800.0
CZPROB	3523	929	-10	2.1E+00	-1	-1	-1	-1	1000001	1462.2
D2Q06C	5167	2171	-11	8.8E+02	-1	-1	-1	-1	243723	1800.0
D6CUBE	6184	415	0	9.9E-06	182	267	353	437	607	114.6
DEGEN2	534	444	0	9.3E-06	52	75	97	121	143	0.1
DEGEN3	1818	1503	0	1.0E-05	1361	4739	8378	14969	24273	142.9
DEGENLPA	20	15	-10	3.1E-03	2	2	-1	-1	1000001	15.3
DEGENLPB	20	15	-10	3.1E-03	2	2	-1	-1	1000001	15.4
DFL001	12230	6071	0	1.0E-05	635	1015	1396	1779	2261	109.0
E226	282	223	0	1.0E-05	90143	146112	202028	257940	313851	106.2
ETAMACRO	688	400	-10	4.2E+00	-1	-1	-1	-1	1000001	449.7
FFFFF800	854	524	-10	5.4E+01	-1	-1	-1	-1	1000001	933.3
FINNIS	614	497	0	1.0E-05	45307	78929	99746	118514	166047	83.0
FIT1D	1026	24	-10	1.2E+04	-1	-1	-1	-1	1000001	1150.3
FIT1P	1677	627	-11	1.5E+01	-1	-1	-1	-1	883478	1800.0
FIT2D	10500	25	-11	9.5E-03	112585	152790	-1	-1	153662	1800.0
FIT2P	13525	3000	-11	8.4E+00	-1	-1	-1	-1	259068	1800.0
FORPLAN	421	161	-10	2.1E+01	-1	-1	-1	-1	1000001	430.5
GANGES	1681	1309	0	1.0E-05	544	603	680	1133	1671	2.8
GFRD-PNC	1092	616	-10	3.6E+03	-1	-1	-1	-1	1000001	495.5
GOFFIN	51	50	0	0.0E+00	1	1	1	1	1	0.0
GREENBEA	5405	2392	-11	1.0E+00	-1	-1	-1	-1	325198	1800.0
GREENBEB	5405	2392	-11	8.0E+00	-1	-1	-1	-1	310565	1800.0
GROW15	645	300	0	0.0E+00	1	1	1	1	1	0.0
GROW22	946	440	0	0.0E+00	1	1	1	1	1	0.0
GROW7	301	140	0	0.0E+00	1	1	1	1	1	0.0
ISRAEL	142	174	-10	3.8E+04	-1	-1	-1	-1	1000001	341.0
KB2	41	43	0	1.0E-05	45761	129276	225976	322675	419394	22.1
LINSPANH	97	33	0	1.0E-05	53	84	160	229	298	0.0
LOTFI	308	153	0	1.0E-05	35918	62965	126076	189188	252299	42.5
MAKELA4	21	40	0	0.0E+00	1	1	1	1	1	0.0
MAROS-R7	9408	3136	0	8.9E-06	38	47	57	66	75	6.6
MAROS	1443	846	-10	1.1E+05	-1	-1	-1	-1	1000001	1736.4
MODSZK1	1620	687	0	9.6E-06	128	159	179	209	235	0.2
MPSBCD03	5940	5414	-11	6.5E+01	-1	-1	-1	-1	73114	1800.0
NESM	2923	662	0	1.0E-05	153695	308511	505675	703056	900441	1720.7
OET1	3	1002	0	2.2E-15	3	3	3	3	3	0.0
OET3	4	1002	0	4.0E-14	3	3	3	3	3	0.0
PEROLD	1376	625	-10	3.4E+04	-1	-1	-1	-1	1000001	1198.7
PILOT4	1000	410	-10	8.4E+02	-1	-1	-1	-1	1000001	774.8
PILOT87	4883	2030	-11	8.0E+00	-1	-1	-1	-1	92277	1800.0
PILOT-JA	1988	940	-11	4.5E+04	-1	-1	-1	-1	300455	1800.0
PILOTNOV	2172	975	-11	5.3E+03	-1	-1	-1	-1	453725	1800.0
PILOT	3652	1441	-11	8.4E-01	-1	-1	-1	-1	206525	1800.0
PILOT-WE	2789	722	-10	2.1E+04	-1	-1	-1	-1	1000001	1650.2
PT	2	501	0	1.7E-16	2	3	3	3	3	0.0
QAP12	8856	3192	0	2.2E-16	2	2	2	2	2	6.5
QAP15	22275	6330	0	2.2E-16	2	2	2	2	2	42.0
QAP8	1632	912	0	1.1E-16	2	2	2	2	2	0.2
QPBD_OUT	263	211	0	1.0E-05	87384	143035	198456	253825	309182	98.0
READING2	6003	4000	0	2.3E-12	3	3	3	3	3	0.1
RECIPELP	180	91	0	1.0E-05	28207	110365	225457	340540	455613	42.1

Table A.2: Complete results for the variant A3.1( $\alpha = \text{opt}$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
S277-280	4	4	0	8.9E-16	3	3	3	3	3	0.0
SC105	103	105	0	1.9E-14	4	4	4	4	4	0.0
SC205	203	205	0	2.5E-06	5	13	24	35	45	0.0
SC50A	48	50	0	3.8E-15	3	3	3	3	3	0.0
SC50B	48	50	0	9.6E-13	3	3	3	3	3	0.0
SCAGR25	500	471	0	1.0E-05	5264	8253	11205	14183	26890	9.8
SCAGR7	140	129	0	9.9E-06	648	889	1147	1396	1656	0.2
SCFXM1	457	330	0	1.0E-05	44192	70621	108850	147080	185309	74.1
SCFXM2	914	660	0	1.0E-05	500441	652654	653048	667405	706673	631.7
SCFXM3	1371	990	-10	4.7E-03	461737	805453	-1	-1	1000001	1378.5
SCORPION	358	388	0	5.8E-06	9	21	44	64	73	0.0
SCRS8	1169	490	-10	3.3E+00	-1	-1	-1	-1	1000001	577.4
SCSD1	760	77	0	2.4E-16	3	3	3	3	3	0.0
SCSD6	1350	147	0	6.6E-15	3	3	3	3	3	0.0
SCSD8	2750	397	0	8.4E-15	3	3	3	3	3	0.0
SCTAP1	480	300	0	1.0E-05	3582	5934	8836	19381	29926	8.7
SCTAP2	1880	1090	0	1.0E-05	651	1138	1454	2821	5117	6.5
SCTAP3	2480	1480	0	1.0E-05	2047	4075	6267	11695	17422	30.0
SEBA	1028	515	-10	2.6E-02	642786	-1	-1	-1	1000001	546.8
SHARE1B	225	117	-10	1.5E+03	-1	-1	-1	-1	1000001	167.1
SHARE2B	79	96	0	1.0E-05	14383	24418	50845	77272	103700	11.9
SHELL	1775	536	0	9.3E-06	574	679	795	912	1014	0.7
SHIP04L	2118	402	0	1.0E-05	4717	14936	25700	53363	100096	88.3
SHIP04S	1458	402	0	1.0E-05	4608	16200	28768	59470	108357	70.0
SHIP08L	4283	778	0	1.0E-05	58	2838	6347	9940	21785	45.1
SHIP08S	2387	778	0	1.0E-05	741	4528	8408	12157	24479	30.8
SHIP12L	5427	1151	0	1.0E-05	3111	29623	59749	176935	302918	792.8
SHIP12S	2763	1151	0	1.0E-05	3607	25726	51038	166910	293196	417.2
SIERRA	2036	1227	0	9.7E-06	178	240	302	366	428	0.6
SIPOW1M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW1	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW3	4	2000	0	1.4E-08	3	5	7	7	7	0.0
SIPOW4	4	2000	0	3.3E-06	3	6	8	13	15	0.0
SSEBLIN	194	72	0	9.9E-06	443	585	728	871	1013	0.1
STAIR	467	356	0	1.0E-05	1027	1290	1518	1976	3944	2.3
STANDATA	1075	359	-10	2.0E-02	742830	-1	-1	-1	1000001	466.2
STANDGUB	1184	361	-10	2.0E-02	742830	-1	-1	-1	1000001	489.0
STANDMPS	1075	467	0	1.0E-05	296372	468361	640350	812340	984329	539.9
STOCFOR1	111	117	0	9.8E-06	73	90	106	112	160	0.0
STOCFOR2	2031	2157	0	1.0E-05	1595	3349	8901	14458	20020	44.0
STOCFOR3	15695	16675	0	1.0E-05	4793	6172	10012	15539	21071	490.4
TESTDECK	14	15	0	1.3E-15	3	3	3	3	3	0.0
TFI2	3	101	0	3.3E-06	3	5	7	8	10	0.0
TRUSS	8806	1000	0	2.0E-13	3	3	3	3	3	0.2
TUFF	587	333	-10	3.5E+03	-1	-1	-1	-1	1000001	554.5
VTP-BASE	203	198	-10	9.6E+02	-1	-1	-1	-1	1000001	179.8
WOOD1P	2594	244	-11	1.9E-03	170874	244189	-1	-1	296471	1800.0
WOODW	8405	1098	0	1.0E-05	53878	80431	106983	133535	160088	1174.5

Table A.3: Complete results for the variant A3.2( $\alpha = 1$ )

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
25FV47	1571	821	0	1.0E-05	180749	378928	581830	785653	989661	1658.2
80BAU3B	9799	2262	0	1.0E-05	4843	6723	8603	10482	12362	57.9
ADLITTLE	97	56	0	1.0E-05	188	308	507	780	1589	0.1
AFIRO	32	27	0	9.9E-06	260	519	779	1038	1298	0.0

Table A.3: Complete results for the variant A3.2( $\alpha = 1$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
AGG2	302	516	-10	1.7E+02	-1	-1	-1	-1	1000001	701.7
AGG3	302	516	-10	1.6E+02	-1	-1	-1	-1	1000001	691.9
AGG	163	488	-10	5.5E+00	-1	-1	-1	-1	1000001	404.8
BANDM	472	305	-10	7.0E-04	166725	405874	904943	-1	1000001	327.3
BCDOUT	5940	5414	-11	1.6E+01	-1	-1	-1	-1	77041	1800.0
BEACONFD	262	173	0	9.5E-06	108	139	171	203	236	0.1
BLEND	83	74	0	1.0E-05	28105	57426	87042	116658	146274	11.2
BNL1	1175	643	-10	5.4E-01	-1	-1	-1	-1	1000001	832.7
BNL2	3489	2324	-11	3.4E-01	-1	-1	-1	-1	499798	1800.0
BOEING1	384	351	-10	7.8E-01	-1	-1	-1	-1	1000001	469.1
BOEING2	143	166	-10	1.1E-02	251241	-1	-1	-1	1000001	171.5
BORE3D	315	233	-10	1.7E+00	-1	-1	-1	-1	1000001	214.8
BRANDY	249	220	0	1.0E-05	282088	447816	613984	780153	946321	233.1
CAPRI	353	271	-10	9.7E-01	-1	-1	-1	-1	1000001	296.7
CYCLE	2857	1903	-11	5.9E+00	-1	-1	-1	-1	480986	1800.0
CZPROB	3523	929	-10	2.8E+00	-1	-1	-1	-1	1000001	1231.2
D2Q06C	5167	2171	-11	5.1E+01	-1	-1	-1	-1	266919	1800.0
D6CUBE	6184	415	0	1.0E-05	72	448	972	1516	2064	115.5
DEGEN2	534	444	0	1.0E-05	416	664	911	1159	1406	0.9
DEGEN3	1818	1503	0	1.0E-05	1115	16815	41019	70245	99471	556.1
DEGENLPA	20	15	-10	2.7E-05	4	10	17	26	1000001	13.6
DEGENLPB	20	15	-10	2.7E-05	4	10	17	26	1000001	13.7
DFL001	12230	6071	0	1.0E-05	3705	6719	9774	12833	15892	692.6
E226	282	223	-10	1.5E-04	164642	390665	663872	-1	1000001	310.7
ETAMACRO	688	400	-10	2.0E-01	-1	-1	-1	-1	1000001	466.2
FFFFFF800	854	524	-10	4.3E+01	-1	-1	-1	-1	1000001	800.5
FINNIS	614	497	-10	3.8E-04	279520	576024	874989	-1	1000001	449.3
FIT1D	1026	24	-10	9.4E-01	-1	-1	-1	-1	1000001	960.4
FIT1P	1677	627	-11	7.3E-03	5347	15848	-1	-1	975909	1800.0
FIT2D	10500	25	-11	2.9E-01	-1	-1	-1	-1	137872	1800.1
FIT2P	13525	3000	-11	2.8E-03	5431	20771	-1	-1	293220	1800.0
FORPLAN	421	161	-10	2.5E+00	-1	-1	-1	-1	1000001	386.1
GANGES	1681	1309	0	1.0E-05	6885	8449	20355	66147	119036	167.2
GFRD-PNC	1092	616	-10	1.4E+01	-1	-1	-1	-1	1000001	410.1
GOFFIN	51	50	0	0.0E+00	1	1	1	1	1	0.0
GREENBEA	5405	2392	-11	3.6E+00	-1	-1	-1	-1	368553	1800.0
GREENBEB	5405	2392	-11	4.0E+00	-1	-1	-1	-1	362425	1800.0
GROW15	645	300	0	5.2E-06	9	13	16	19	23	0.0
GROW22	946	440	0	6.2E-06	10	13	16	19	23	0.0
GROW7	301	140	0	7.3E-06	9	12	15	19	22	0.0
ISRAEL	142	174	-10	5.3E+01	-1	-1	-1	-1	1000001	295.2
KB2	41	43	-10	4.1E-04	118791	468377	851403	-1	1000001	47.9
LINSPANH	97	33	0	1.0E-05	392	574	961	1517	2074	0.1
LOTFI	308	153	-10	4.2E-04	399540	652476	905412	-1	1000001	156.2
MAKELA4	21	40	0	0.0E+00	1	1	1	1	1	0.0
MAROS-R7	9408	3136	0	9.9E-06	309	379	449	520	591	24.8
MAROS	1443	846	-10	3.9E+01	-1	-1	-1	-1	1000001	1502.9
MODSZK1	1620	687	0	1.0E-05	1189	1644	2105	2570	3035	2.2
MPSBCD03	5940	5414	-11	6.5E+01	-1	-1	-1	-1	78467	1800.0
NESM	2923	662	-10	5.8E-03	393910	877389	-1	-1	1000001	1722.5
OET1	3	1002	0	1.0E-05	37	83	209	531	1355	0.5
OET3	4	1002	0	1.0E-05	16	42	115	307	797	0.3
PEROLD	1376	625	-10	1.6E+01	-1	-1	-1	-1	1000001	1058.5
PILOT4	1000	410	-10	2.8E-01	-1	-1	-1	-1	1000001	718.0
PILOT87	4883	2030	-11	2.4E+00	-1	-1	-1	-1	98392	1800.0
PILOT-JA	1988	940	-11	2.6E+00	-1	-1	-1	-1	308957	1800.0
PILOTNOV	2172	975	-11	1.2E+00	-1	-1	-1	-1	482334	1800.0
PILOT	3652	1441	-11	9.0E-01	-1	-1	-1	-1	226390	1800.0
PILOT-WE	2789	722	-10	2.8E+00	-1	-1	-1	-1	1000001	1407.7

Table A.3: Complete results for the variant A3.2( $\alpha = 1$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
PT	2	501	0	1.0E-05	21	72	206	549	1415	0.2
QAP12	8856	3192	0	9.3E-06	5	8	12	15	18	7.3
QAP15	22275	6330	0	9.3E-06	5	8	12	15	18	44.9
QAP8	1632	912	0	9.3E-06	5	8	12	15	18	0.3
QPBD_OUT	263	211	-10	7.6E-05	163602	388587	626336	950003	1000001	286.6
READING2	6003	4000	0	1.0E-05	243	1210	5797	24378	49304	177.4
RECIPELP	180	91	-10	1.2E-04	16257	129940	585861	-1	1000001	86.2
S277-280	4	4	0	9.9E-06	15	69	239	414	590	0.0
SC105	103	105	0	1.0E-05	70	152	285	428	570	0.0
SC205	203	205	0	9.9E-06	70	166	410	739	1068	0.1
SC50A	48	50	0	9.7E-06	72	146	224	302	381	0.0
SC50B	48	50	0	9.9E-06	141	280	420	561	702	0.0
SCAGR25	500	471	0	1.0E-05	119972	191249	262526	333803	405080	127.3
SCAGR7	140	129	0	1.0E-05	10651	15466	20281	25096	29911	2.5
SCFXM1	457	330	0	1.0E-05	135099	288017	440935	593853	746771	269.4
SCFXM2	914	660	-10	4.9E+00	-1	-1	-1	-1	1000001	760.3
SCFXM3	1371	990	-10	7.0E+00	-1	-1	-1	-1	1000001	1245.7
SCORPION	358	388	0	1.0E-05	150	416	755	1131	1517	0.4
SCRS8	1169	490	-10	8.9E-02	837270	-1	-1	-1	1000001	482.1
SCSD1	760	77	0	9.6E-06	13	28	42	57	71	0.0
SCSD6	1350	147	0	9.8E-06	21	36	50	65	79	0.1
SCSD8	2750	397	0	8.8E-06	37	51	66	80	95	0.1
SCTAP1	480	300	0	1.0E-05	5707	20669	42507	66117	92420	23.9
SCTAP2	1880	1090	0	1.0E-05	6475	33412	62762	93231	124536	142.6
SCTAP3	2480	1480	0	1.0E-05	9316	38023	69214	101873	135700	212.1
SEBA	1028	515	-10	3.3E+00	-1	-1	-1	-1	1000001	493.7
SHARE1B	225	117	-10	2.1E+01	-1	-1	-1	-1	1000001	145.1
SHARE2B	79	96	0	1.0E-05	44682	131864	235962	340067	444172	46.3
SHELL	1775	536	0	1.0E-05	9224	12918	16612	20306	23999	12.2
SHIP04L	2118	402	0	1.0E-05	34227	221723	410870	600371	789880	586.2
SHIP04S	1458	402	0	1.0E-05	34823	233815	437972	642130	846289	463.5
SHIP08L	4283	778	0	1.0E-05	3480	55095	106923	158762	210602	342.0
SHIP08S	2387	778	0	1.0E-05	4206	57842	112153	166471	220789	216.9
SHIP12L	5427	1151	-11	1.9E-03	37906	408713	-1	-1	777499	1800.0
SHIP12S	2763	1151	-10	6.8E-04	38888	410604	915817	-1	1000001	1254.3
SIERRA	2036	1227	0	1.0E-05	1284	1783	2281	2780	3279	4.0
SIPOW1M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW1	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW3	4	2000	0	1.0E-05	108	576	2851	6870	11101	8.2
SIPOW4	4	2000	0	1.0E-05	45	269	1279	3714	6249	4.8
SSEBLIN	194	72	0	1.0E-05	3369	4509	5648	6788	7928	0.5
STAIR	467	356	0	1.0E-05	5790	10143	14500	18858	23215	11.9
STANDATA	1075	359	-10	2.1E-01	-1	-1	-1	-1	1000001	418.9
STANDGUB	1184	361	-10	2.1E-01	-1	-1	-1	-1	1000001	1602.8
STANDMPS	1075	467	-10	1.6E-02	465855	-1	-1	-1	1000001	500.9
STOCFOR1	111	117	0	9.9E-06	458	692	926	1160	1394	0.1
STOCFOR2	2031	2157	0	1.0E-05	2697	14712	27745	40778	53812	111.4
STOCFOR3	15695	16675	-11	9.6E-03	12045	84953	-1	-1	86553	1800.0
TESTDECK	14	15	0	9.9E-06	20	47	74	100	127	0.0
TFI2	3	101	0	1.0E-05	10	62	230	442	886	0.1
TRUSS	8806	1000	0	9.5E-06	55	70	84	99	113	0.6
TUFF	587	333	-10	4.6E+00	-1	-1	-1	-1	1000001	485.8
VTP-BASE	203	198	-10	1.0E+01	-1	-1	-1	-1	1000001	157.4
WOOD1P	2594	244	-11	2.7E-04	13	78	167723	-1	334070	1800.0
WOODW	8405	1098	-11	2.8E-05	6635	37414	116366	219982	278510	1800.0

Table A.4: Complete results for the variant A3.2( $\alpha = \text{opt}$ )

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
25FV47	1571	821	0	1.0E-05	90067	153857	198699	224294	273241	488.4
80BAU3B	9799	2262	0	9.9E-06	2383	3303	4227	5106	5554	30.4
ADLITTLE	97	56	0	1.0E-05	101	161	255	369	688	0.1
AFIRO	32	27	0	1.0E-05	130	259	388	518	644	0.0
AGG2	302	516	-10	2.7E+01	-1	-1	-1	-1	1000001	739.6
AGG3	302	516	-10	3.8E+01	-1	-1	-1	-1	1000001	750.1
AGG	163	488	-10	5.1E+00	-1	-1	-1	-1	1000001	450.6
BANDM	472	305	0	1.0E-05	81941	164903	277272	300781	693636	237.7
BCDOUT	5940	5414	-11	1.6E+01	-1	-1	-1	-1	74072	1800.0
BEACONFD	262	173	0	9.5E-06	46	59	71	85	97	0.0
BLEND	83	74	0	9.6E-06	14052	28738	41621	48839	52370	4.4
BNL1	1175	643	-10	3.7E-01	-1	-1	-1	-1	1000001	923.9
BNL2	3489	2324	-11	1.5E-01	-1	-1	-1	-1	457738	1800.0
BOEING1	384	351	-10	6.0E-01	-1	-1	-1	-1	1000001	513.9
BOEING2	143	166	-10	6.2E-03	123587	622124	-1	-1	1000001	189.2
BORE3D	315	233	-10	7.9E-01	-1	-1	-1	-1	1000001	228.6
BRANDY	249	220	0	1.0E-05	140071	216979	259187	275671	348119	106.4
CAPRI	353	271	-10	1.7E-01	-1	-1	-1	-1	1000001	321.5
CYCLE	2857	1903	-11	4.7E+00	-1	-1	-1	-1	432253	1800.0
CZPROB	3523	929	-10	1.6E+00	-1	-1	-1	-1	1000001	1423.4
D2Q06C	5167	2171	-11	3.1E+01	-1	-1	-1	-1	250480	1800.0
D6CUBE	6184	415	0	9.6E-06	40	225	485	680	811	112.0
DEGEN2	534	444	0	9.9E-06	209	333	457	582	705	0.5
DEGEN3	1818	1503	0	1.0E-05	555	8234	15819	21390	25976	148.8
DEGENLPA	20	15	-10	2.7E-05	4	6	9	13	1000001	15.1
DEGENLPB	20	15	-10	2.7E-05	4	6	9	13	1000001	15.0
DFL001	12230	6071	0	1.0E-05	1840	3333	4715	5656	6154	274.2
E226	282	223	-10	1.1E-05	83426	167804	253590	285813	1000001	327.9
ETAMACRO	688	400	-10	9.0E-02	866299	-1	-1	-1	1000001	545.4
FFFFF800	854	524	-10	6.8E+00	-1	-1	-1	-1	1000001	949.2
FINNIS	614	497	0	1.0E-05	127132	218760	287340	342339	512275	254.4
FIT1D	1026	24	-10	9.2E-01	-1	-1	-1	-1	1000001	1046.2
FIT1P	1677	627	-11	6.0E-03	2160	6394	-1	-1	919920	1800.0
FIT2D	10500	25	-11	5.9E-03	106263	151151	-1	-1	159259	1800.0
FIT2P	13525	3000	-11	2.7E-03	2658	9394	-1	-1	262115	1800.0
FORPLAN	421	161	-10	9.9E-01	-1	-1	-1	-1	1000001	406.6
GANGES	1681	1309	0	1.0E-05	3436	4217	8682	25209	50188	78.2
GFRD-PNC	1092	616	-10	1.1E+01	-1	-1	-1	-1	1000001	603.7
GOFFIN	51	50	0	0.0E+00	1	1	1	1	1	0.0
GREENBEA	5405	2392	-11	1.6E+00	-1	-1	-1	-1	337336	1800.0
GREENBEB	5405	2392	-11	2.0E+00	-1	-1	-1	-1	337497	1800.0
GROW15	645	300	0	9.4E-06	6	9	22	41	67	0.1
GROW22	946	440	0	9.9E-06	6	10	25	63	146	0.1
GROW7	301	140	0	9.5E-06	6	9	18	38	67	0.0
ISRAEL	142	174	-10	4.4E+01	-1	-1	-1	-1	1000001	323.7
KB2	41	43	0	1.0E-05	59454	234273	339567	405732	647248	33.3
LINSPANH	97	33	0	9.7E-06	197	289	484	758	886	0.0
LOTFI	308	153	0	1.0E-05	194892	303813	367117	419720	546559	93.6
MAKELA4	21	40	0	0.0E+00	1	1	1	1	1	0.0
MAROS-R7	9408	3136	0	9.7E-06	154	188	222	256	291	14.3
MAROS	1443	846	-10	2.8E+01	-1	-1	-1	-1	1000001	1641.7
MODSZK1	1620	687	0	9.6E-06	496	686	880	1074	1251	1.0
MPSBCD03	5940	5414	-11	6.5E+01	-1	-1	-1	-1	76240	1800.0
NESM	2923	662	-11	1.2E-05	177911	298985	439695	559143	964285	1800.0
OET1	3	1002	0	9.7E-06	18	36	80	196	469	0.2
OET3	4	1002	0	9.9E-06	9	20	50	132	336	0.1
PEROLD	1376	625	-10	1.5E+01	-1	-1	-1	-1	1000001	1173.8
PILOT4	1000	410	-10	2.6E-01	-1	-1	-1	-1	1000001	761.6
PILOT87	4883	2030	-11	1.4E+00	-1	-1	-1	-1	95640	1800.0



Table A.4: Complete results for the variant A3.2( $\alpha = \text{opt}$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
PILOT-JA	1988	940	-11	2.6E+00	-1	-1	-1	-1	302848	1800.0
PILOTNOV	2172	975	-11	1.2E+00	-1	-1	-1	-1	454180	1800.0
PILOT	3652	1441	-11	7.0E-01	-1	-1	-1	-1	213275	1800.0
PILOT-WE	2789	722	-10	2.5E+00	-1	-1	-1	-1	1000001	1598.0
PT	2	501	0	1.0E-05	12	36	96	252	640	0.1
QAP12	8856	3192	0	2.3E-14	3	3	3	3	3	6.9
QAP15	22275	6330	0	6.4E-15	3	3	3	3	3	42.9
QAP8	1632	912	0	5.3E-15	3	3	3	3	3	0.2
QPBD_OUT	263	211	-10	1.3E-05	81650	169594	272221	280824	1000001	305.2
READING2	6003	4000	0	1.0E-05	127	611	2899	12109	24385	94.0
RECIPELP	180	91	0	1.0E-05	8118	47726	168745	259012	372163	45.6
S277-280	4	4	0	9.9E-06	8	34	116	200	284	0.0
SC105	103	105	0	9.7E-06	37	81	148	220	290	0.0
SC205	203	205	0	9.8E-06	38	106	282	468	654	0.1
SC50A	48	50	0	9.8E-06	38	75	114	154	193	0.0
SC50B	48	50	0	9.9E-06	72	140	209	278	348	0.0
SCAGR25	500	471	0	1.0E-05	54896	89579	110917	127113	145284	50.6
SCAGR7	140	129	0	1.0E-05	5040	7292	9542	11802	12957	1.2
SCFXM1	457	330	0	1.0E-05	62975	118497	156561	186296	251351	95.6
SCFXM2	914	660	-10	1.8E+00	-1	-1	-1	-1	1000001	818.6
SCFXM3	1371	990	-10	2.3E+00	-1	-1	-1	-1	1000001	1312.3
SCORPION	358	388	0	1.0E-05	74	206	372	556	746	0.2
SCRS8	1169	490	-10	2.2E-02	281414	-1	-1	-1	1000001	534.2
SCSD1	760	77	0	2.9E-15	2	3	4	4	4	0.0
SCSD6	1350	147	0	8.9E-06	4	8	14	19	24	0.0
SCSD8	2750	397	0	7.5E-06	14	19	24	29	34	0.1
SCTAP1	480	300	0	1.0E-05	2795	11015	26506	35556	43985	12.4
SCTAP2	1880	1090	0	6.7E-06	2683	15104	25130	29816	31062	40.0
SCTAP3	2480	1480	0	1.0E-05	4081	17848	28084	32492	37567	65.3
SEBA	1028	515	-10	9.8E-01	-1	-1	-1	-1	1000001	690.5
SHARE1B	225	117	-10	7.5E+00	-1	-1	-1	-1	1000001	158.4
SHARE2B	79	96	0	1.0E-05	22489	62287	93839	114263	149915	16.7
SHELL	1775	536	0	9.9E-06	4363	6151	7952	9194	9887	5.9
SHIP04L	2118	402	0	1.0E-05	16755	78789	126213	173405	259458	206.6
SHIP04S	1458	402	0	1.0E-05	16877	83631	134711	179479	277756	164.9
SHIP08L	4283	778	0	1.0E-05	1762	27214	40436	53258	61863	109.9
SHIP08S	2387	778	0	1.0E-05	2143	27455	41451	54825	63955	67.6
SHIP12L	5427	1151	0	1.0E-05	18894	176311	339604	465090	703179	1697.2
SHIP12S	2763	1151	0	1.0E-05	19293	127867	262609	394938	752056	1012.8
SIERRA	2036	1227	0	9.9E-06	539	748	956	1165	1374	2.0
SIPOW1M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW1	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2M	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW2	2	2000	0	0.0E+00	1	1	1	1	1	0.0
SIPOW3	4	2000	0	9.8E-06	42	210	1030	2472	3484	2.8
SIPOW4	4	2000	0	9.9E-06	18	102	478	1388	2298	2.0
SSEBLIN	194	72	0	9.9E-06	1598	2138	2678	3218	3665	0.3
STAIR	467	356	0	1.0E-05	2879	5035	7187	8851	9653	5.3
STANDATA	1075	359	-10	1.4E-04	454498	782152	897690	-1	1000001	478.6
STANDGUB	1184	361	-10	2.3E-04	473632	807096	921795	-1	1000001	633.7
STANDMPS	1075	467	0	1.0E-05	171899	357050	379349	379430	878366	490.5
STOCFOR1	111	117	0	9.6E-06	198	298	398	498	600	0.1
STOCFOR2	2031	2157	0	1.0E-05	1292	5466	10054	14503	16329	35.6
STOCFOR3	15695	16675	0	1.0E-05	5820	9518	13112	16200	18360	418.9
TESTDECK	14	15	0	8.9E-06	11	20	29	38	47	0.0
TFI2	3	101	0	1.0E-05	6	28	96	182	312	0.0
TRUSS	8806	1000	0	5.4E-06	20	25	30	34	40	0.4
TUFF	587	333	-10	3.6E+00	-1	-1	-1	-1	1000001	517.1
VTP-BASE	203	198	-10	8.8E+00	-1	-1	-1	-1	1000001	186.0

Table A.4: Complete results for the variant A3.2( $\alpha = \text{opt}$ )

(continued)

name	$n$	$m$	status	error	iterations until error <					CPU time
					0.1	0.01	0.001	0.0001	0.00001	
WOOD1P	2594	244	0	1.0E-05	6	38	19602	30945	190147	1055.9
WOODW	8405	1098	0	1.0E-05	3349	12823	24953	29086	65872	567.9

## Appendix B

By way of comparison, we give equivalent results for the GALAHAD separable convex quadratic programming package LSQP applied to the same test set—since an objective function is required,  $\|x - x_0\|_2^2$  is used. Each run is terminated when primal and dual optimality errors are smaller than 0.00001, and thus in particular the maximum infeasibility is no larger than this value. The column headings are exactly as in Appendix A, except that iterations indicates the number of iterations/factorizations required. The two problems with return status  $-6$  appear to be infeasible.

Table B.1: Complete results for LSQP

name	$n$	$m$	status	iterations	CPU time
25FV47	1571	821	0	109	1.2
80BAU3B	9799	2262	0	131	3.0
ADLITTLE	97	56	0	29	0.0
AFIRO	32	27	0	19	0.0
AGG2	302	516	0	61	0.3
AGG3	302	516	0	48	0.3
AGG	163	488	0	91	0.2
BANDM	472	305	0	37	0.1
BCDOUT	5940	5414	-6	486	115.9
BEACONFD	262	173	0	23	0.0
BLEND	83	74	0	33	0.0
BNL1	1175	643	0	267	1.4
BNL2	3489	2324	0	174	6.3
BOEING1	384	351	0	72	0.2
BOEING2	143	166	0	57	0.1
BORE3D	315	233	0	31	0.0
BRANDY	249	220	0	51	0.1
CAPRI	353	271	0	170	0.3
CYCLE	2857	1903	0	139	3.9
CZPROB	3523	929	0	121	0.6
D2Q06C	5167	2171	0	160	10.0
D6CUBE	6184	415	0	76	108.2
DEGEN2	534	444	0	21	0.1
DEGEN3	1818	1503	0	27	1.8
DEGENLPA	20	15	0	13	0.0
DEGENLPB	20	15	0	13	0.0
DFL001	12230	6071	0	61	174.0
E226	282	223	0	109	0.2
ETAMACRO	688	400	0	60	0.2
FFFFF800	854	524	0	65	0.3
FINNIS	614	497	0	55	0.1
FIT1D	1026	24	0	69	0.5
FIT1P	1677	627	0	18	2.7
FIT2D	10500	25	0	91	7.2
FIT2P	13525	3000	0	18	0.8
FORPLAN	421	161	0	40	0.1
GANGES	1681	1309	0	23	0.1

Table B.1: Complete results for LSQP (continued)

name	$n$	$m$	status	iterations	CPU time
GFRD-PNC	1092	616	0	82	0.1
GOFFIN	51	50	0	17	0.0
GREENBEA	5405	2392	0	279	6.8
GREENBEB	5405	2392	0	505	40.4
GROW15	645	300	0	20	0.1
GROW22	946	440	0	20	0.1
GROW7	301	140	0	20	0.0
ISRAEL	142	174	0	98	0.3
KB2	41	43	0	29	0.0
LINSPANH	97	33	0	20	0.0
LOTFI	308	153	0	24	0.0
MAKELA4	21	40	0	17	0.0
MAROS-R7	9408	3136	0	19	18.9
MAROS	1443	846	0	302	2.1
MODSZK1	1620	687	0	31	0.1
MPSBCD03	5940	5414	-6	201	41.2
NESM	2923	662	0	52	0.5
OET1	3	1002	0	16	0.0
OET3	4	1002	0	15	0.0
PEROLD	1376	625	0	4910	58.6
PILOT4	1000	410	0	176	1.1
PILOT87	4883	2030	0	355	195.7
PILOT-JA	1988	940	0	1377	27.3
PILOTNOV	2172	975	0	264	4.8
PILOT	3652	1441	0	178	25.2
PILOT-WE	2789	722	0	531	4.5
PT	2	501	0	18	0.0
QAP12	8856	3192	0	4	15.4
QAP15	22275	6330	0	4	110.5
QAP8	1632	912	0	5	0.5
QPBD_OUT	263	211	0	106	0.2
READING2	6003	4000	0	4	0.1
RECIPELP	180	91	0	47	0.0
S277-280	4	4	0	16	0.0
SC105	103	105	0	27	0.0
SC205	203	205	0	27	0.0
SC50A	48	50	0	25	0.0
SC50B	48	50	0	23	0.0
SCAGR25	500	471	0	44	0.1
SCAGR7	140	129	0	20	0.0
SCFXM1	457	330	0	84	0.1
SCFXM2	914	660	0	145	0.5
SCFXM3	1371	990	0	170	0.8
SCORPION	358	388	0	27	0.0
SCRS8	1169	490	0	61	0.1
SCSD1	760	77	0	19	0.0
SCSD6	1350	147	0	18	0.1
SCSD8	2750	397	0	17	0.1
SCTAP1	480	300	0	60	0.1
SCTAP2	1880	1090	0	65	0.4
SCTAP3	2480	1480	0	65	0.5
SEBA	1028	515	0	124	0.3
SHARE1B	225	117	0	258	0.1
SHARE2B	79	96	0	51	0.0
SHELL	1775	536	0	55	0.1
SHIP04L	2118	402	0	31	0.1
SHIP04S	1458	402	0	32	0.1
SHIP08L	4283	778	0	32	0.3
SHIP08S	2387	778	0	29	0.2
SHIP12L	5427	1151	0	41	0.4

Table B.1: Complete results for LSQP (continued)

name	$n$	$m$	status	iterations	CPU time
SHIP12S	2763	1151	0	33	0.2
SIERRA	2036	1227	0	45	0.3
SIPOW1M	2	2000	0	6	0.0
SIPOW1	2	2000	0	6	0.0
SIPOW2M	2	2000	0	13	0.1
SIPOW2	2	2000	0	13	0.1
SIPOW3	4	2000	0	23	0.1
SIPOW4	4	2000	0	17	0.1
SSEBLIN	194	72	0	23	0.0
STAIR	467	356	0	44	0.1
STANDATA	1075	359	0	50	0.5
STANDGUB	1184	361	0	50	0.5
STANDMPS	1075	467	0	71	0.3
STOCFOR1	111	117	0	31	0.0
STOCFOR2	2031	2157	0	41	0.4
STOCFOR3	15695	16675	0	62	6.3
TESTDECK	14	15	0	17	0.0
TFI2	3	101	0	16	0.0
TRUSS	8806	1000	0	17	0.6
TUFF	587	333	0	162	0.7
VTP-BASE	203	198	0	29	0.0
WOOD1P	2594	244	0	73	21.2
WOODW	8405	1098	0	67	144.2

## References

- [1] N. I. M. Gould. How good are projection methods for convex feasibility problems? Technical Report RAL-TR-2006-015, Rutherford Appleton Laboratory, Chilton, Oxfordshire, England, 2006. Submitted to *Computational Optimization and Applications*.